

UTE DECKS

Galvanised Steel Sides and Tailgate



- ✓ 2.3m x 1.83m Single Cab
- ✓ MAIN RUNNERS
Heavy RHS
- ✓ CROSS RUNNERS
40 x 70 Channel 3 mm
- ✓ TIE RAILS & TIE HOOKS
25 x 25 RHS
- ✓ BACK CHANNEL
3 mm Steel Plate Folded
- ✓ TAILGATE AND SIDES
25 x 25 RHS FRAMED
 1. Galvanised Steel
 2. Matching painted Steel
 3. 12.5 Tanalised Ply Stained.

- ✓ HEADBOARD
40 x 40 RHS to follow contour of cab 12 mm Round Steel to protect window
- ✓ DECK **ecoply**TM
17 mm Heavy Duty Tanalised Ply
- ✓ MUDGUARDS and STEP
- ✓ TOWBAR
- ✓ OPTIONAL EXTRA
Stock Crate
Ship Lap Timber Deck
- ✓ TIPPING UTE DECKS
Tip to 48° Angle
Hydraulic Hand Pump or
12v or 24v Electric Pump



*SMALL TRUCK
and UTE DECKS
TWIN + CAB + 1/2
GALVANISED
UTE STOCKCRATES*



Fully Hot Dipped Galvanised

All Drawbars attached to Chassis of Vehicle

TIPPING UTE DECK



UTE DECKS



AND CAGES

